

www.schottensteincenter.com



Value City Arena at the Jerome Schottenstein Center

> Ohio State University 555 Borror Drive Columbus, OH 43210 Phone: 614.688.3939

Fax: 614.292.5067

Updated May 2018

	opuateu	May 2016
Contacts		
Department of Athletics, Athletics	s Communication	ns
Assoc. AD of Communications (MBB)	DanWallenberg	614.292.4095
Assist Athletics Communications Director (WBB)	Gary Petit	614.292.3270
Assist Athletics Communications Director (MIH)	Leann Parker	614.688.0294
Department of Athletics, Vide	eo Production	
Broadcast Video Engineer	Chuck Altizer	614.688.8621
	Cell	614.314.6356
January California de la constante de la const	Caraban	
Jerome Schottenstein		614 202 0220
Production Manager	Emily Jeu	614.292.9230
	Cell	614.226.1984
Operations Coordinator	Brad Thomas	614.688.3098
Ohio State University OCIO Broadcast, Teleco	mmunications 8	CATV
Chief Engineer Broadcast Operations	Chris Pezzutti	614.292.6990
Phone Service Account Manager	Steve Aldous	614.292.9166
Customer Service		614.292.8648
Levy Restaurants - Cateri	ng Service	
Catering Services	_	614.688.4660

Direction to the Venue

From the North:

I-270 to State Route 315 south
315 south Exit Lane Ave.
Turn left on Lane Ave.
Turn left at Fred Taylor Drive – second stop light
Entrance to loading dock is first driveway on the right

From the South:

I-71 north to 670 west 670 west to State Route 315 north 315 north to Lane Ave. exit Turn right on Lane Ave. Turn left at Fred Taylor Drive – first stop light Entrance to loading dock is first driveway on the right

From the West:


I-70 east to State Route 315 north
315 north to Lane Ave. exit
Turn right on Lane Ave.
Turn left at Fred Taylor Drive – first stop light
Entrance to loading dock is first driveway on the right

From the East:

I-70 west to State Route 315 north
315 north to Lane Ave. exit
Turn right on Lane Ave.
Turn left at Fred Taylor Drive – first stop light
Entrance to loading dock is first driveway on the right

Call 614.688.5999 if you need further help with directions

Jerome Schottenstein Center Site Map






Loading In & Out, Onsite Parking and Building Access

Our Loading dock is level with the arena floor with no ramps or obstruction. The covered area is climate controlled and utilizes an exhaust system with CO2 sensors to expel truck exhaust buildup.

- 3 covered docks with levelers
- 3 drive-in bays
 - One single 12'x14'
 - o one doublewide 24'x14' opening with access to the arena floor
- 100' to arena floor

Parking is available for all production trucks and buses in the service court, immediately located outside the loading dock and backstage area. Shore power pedestals are available in the service court and the west parking lot (Grey One). Pedestals also provide cable, telephone, data and fax capabilities.

Parking for personal vehicles is provided in Grey Lots 1-3. For parking passes and access credentials please contact the Sports Information Officer at the Athletics Communications Office. During construction, all broadcast personnel should enter through the employee entrance located near the Northwest Rotunda and check-in with Schottenstein Security. Broadcast personnel should wear their credentials at all times.



Broadcast Cable Information

OCIO Broadcast Support System

Prepared by: Chris Pezzutti – Chief Engineer, OSU/OCIO Broadcast Transmission / Cable Telecommunications Engineering

Overview

OCIO/Telecommunications has Vyvx fiber-optic backhaul for SD270 (single path) via the Universities Central Office. For details and pricing, contact Chris Pezzutti, OCIO/Telecom Broadcast division at 614-292-6990 or pezzutti.1@osu.edu.

ENG - Electronic News Gathering

The JSC has four (4) ENG systems installed in the facility; each of which has been engineered and tailored to the needs of local affiliate broadcasters. Currently, WBNS (CBS affiliate – channel 10), WCMH (NBC owned – channel 4) and WSYX (ABC affiliate – channel 6) all have long term leases and exclusive use of 3 of the 4 systems installed today. The 4th system is leased on a scheduled or first-term-first-served basis, and consists of the following connectivity:

- BNC terminated COMMSCOPE 5765 serial digital video cable to all ENG designated locations within the arena. (See attached arena layout)
- 3-pin XLR (balanced audio) terminated COMMSCOPE 1524 AES/EBU 110 ohm cable to all ENG designated locations within the arena. (See attached arena layout and configuration matrix for gender terminations at each specific location)

ENG Numbering Nomenclature (JBE)

ENG locations are designated as JBE-nX on all broadcast communications panels. "nX" is a 2-character designation where "n" is a numeric value (1-7) representing each of the arena camera location levels:

- 1. Arena Level
- 2. Entry Level
- **4.** Terrace Level

•

There are no designations for #3 or #5

- 6. Writing Press Level
- 7. Catwalk

Thus, JBE-4D would be located on the Terrace Level and JBE-1B would be located on the Arena Level. The "X" 2^{nd} letter designation has been arbitrarily assigned throughout the facility.

The ENG system has been designed to accommodate and support primarily field production activities, specifically those that don't require or involve the use of the remotely powered and CCU controlled cameras. Due to the cable distances involved in the JSC, <u>LINE LEVEL AUDIO ONLY</u> is supported by the ENG audio cabling. While some mic level applications have been used in the facility, it is not recommended or supported. The audio system has been successfully used with several IFB systems used on local affiliate ENG trucks.

Broadcast - Infrastructure: Triax/DT-12

The JSC has a single "house triax" system installed. It's primary design purpose is to support remotely powered CCU controlled camers. The "house triax" or "broadcaster system" is leased on a first-come-first-served basis and consists of the following connectivity:

- Triax terminated (ADC TCJ/TCP-C12) COMMSCOPE 7826 RG11 triax to all broadcast designated locations within the arena
- DT12 terminated (DK-37) COMMSCOPE 152412 AES/EBU 110 ohm cabling to specific broadcast locations within the arena
- BNC terminated COMMSCOPE 5765 serial digital video cable to a <u>limited</u> number of broadcast (JBT) <u>locations</u> within the arena
- 3-pin XLR (balanced audio) terminated COMMSCOPE 1524 AES/EBU 110 ohm cable to a <u>limited number of broadcast (JBT) location</u>s with the arena

See attached arena layout map for locations

The characteristics of the BNC video and 3-pin XLR audio are the same as for the ENG/JBE.

Please note that some broadcast locations DO NOT have Dt-12 audio jacks

Local Affiliate – ENG Pedestals

Tie-in ENG/Microwave and satellite uplink trucks are supported through the use of access panels or "pedestals" located in Grey Lot #1 parking area. (See attached map). There are a total of five (5) pedestals, each of which has an "A" and "B" designation (two sides of each pedestal). Each side, A & B has the following tie-in connectivity:


- 2 Female BNC terminated COMMSCOPE 5765 serial digital video cable
- 4 2 male, 2 female 3-pin XLR (balanced audio) terminated COMMSCOPE 1524 AES/EBU 110 ohm

All patch cables for tie-in to the pedestals must be provided by each ENG or broadcast support crew. All pedestals terminate in the arena broadcast room.

Access to pedestals is normally on first-come-first-served basis. However due to the anticipated demand for arena tie-in requests, we ask that ALL requests for tie-in be coordinated the JSC video support – Chuck Altizer (altizer.6@osu.edu)

The "Broadcast Room" for the arena is located off of the loading dock at the west side of the building on the Arena Level. All JBE/JBT communications panels in the arena terminate at this location, including tie-in to the BROADCAST/ENG pedestals located in Grey Lot #1. Production truck parking is directly outside the room accessible through Rollup door #1. Access to this room should be coordinated and scheduled through the primary venue contact, Aaron Thomas (Thomas.2480@osu.edu) and the UNITS Broadcast Transmission Group at 614-688-3324.


Common Camera Locations







		BROADCAST PATCH BAY	S					
BROADCAST RACK 15 - XLR AUDIO TO JBT'S		BROADCAST RACK 14 - BNC VIDEO TO JBT'S	1	RKOAD	CAST RACI	13 - DT-	12 AUDIO	IO JRL/2
NDPTIIHUNIIS TOFRON RACK9 HOUSTIVIDW								
<u>ij@]ij@]iji@]ij@] ij</u>								
[90][90][9[9[90]0]0]ij0]		[!][!][!][!][!][!][!][!][!][!][!][!][!][\bigcirc		
ij@]ij@]@]ij@]@]@]ij@]								
HOCXEY LOCKER ROOM WEST VIHTORS LOCKER EAST VISITORS LOGCER		PRESSBOOTH# 3 WRITING PRESS	_					
ij@]@]@]ijijij@]@]ijij		PRI:SSIIOOTIN PR9SBOOTH#1 PR9SBOOTH#.Z		-			0	0
ij@]ij@]ijij@]ij PRESSBOOTH#2		NORIHTERRACE SOUTHTERRACE		NW Aram Floor	S Araa Floor	NE Anina Floor	$\overline{\bigcirc}$	\bigcap
ijijijij[gijijij@]@]ijij		[!][!][!][!][!][!][!][!][!][!][!][!][!][812	D12	512		$\overline{}$
ij@]ij@]ijij@]ij@]ij@]		[!][!][!][!][!][!][!][!][!][!][!][!][!][]					
<u>ij@]ijijijijij[g[g[Q][g</u>							0	
ij@]ij@]ijij@]ij[g[g[Q]		NORTH ARINA PLOOR [!][!][!][!][!][!][!][!][!][!][!][!][!][SW	lm	lm	\mathbf{O}	Im
NE SLASH POSITION		SW ARENA FLOOR SOUTH ARENA FLOOR	-					
			1	1				



Broadcast Box Connections JBT - 1B JBT - 1C JBT - 1A JBT - 1D JBT - 1E SE Arena Floor Visitor Locker East NE Arena Floor Athletics Electronics Hockey Locker Room BNC BNC **BNC BNC** Triax 2 Triax 2 Triax Triax Triax 2 2 XLR DT - 12 DT - 12 DT - 12 2 2 CAT 5 CAT 5 CAT 5

	T - 1F rena Floor	JBT - 1G SW Arena Floor		JBT - 1H Women's Locker Room		JBT - 1J NW Arena Floor		JBT - 1K Visitor Locker West	
BNO	8	BNC	4	BNC	4	BNC	4	BNC	2
Tria	x 2	Triax	2	Triax	2	Triax	2	Triax	1
DT - 1	2 2	DT - 12	2	DT - 13	2	DT - 12	2	XLR	4
CAT	5 2	CAT 5	2	CAT 5	2	CAT 5	2		

	- 1L ena Floor	JBT - 1L North Arena Level			- 1M deo Room	JBT - 1N Men's Locker Room		
BNC	8	Patch to	Booth #6	Triax	9	BNC	4	
Triax	2	BNC	2			Triax	1	
DT - 12	2	XLR	2			XLR	8	
CAT 5	4							

	- 2A Entry Level	JBT NW Slash	- 2B		- 2C ry Gym
BNC		BNC	Littly Level	BNC	Ty Cylli
					4
Triax	2	Triax	2	Triax	2
XLR	8	XLR	8	DT-12	2
RJ-11	25	CAT 5	2		

_	- 4A errace	JBT South 1	- 4B Ferrace	_	- 4C errace	JBT - 4D North Terrace		
BNC	4	BNC	4	BNC	4	BNC	4	
Triax	2	Triax	3	Triax	2	Triax	3	
DT - 12	1	DT - 12	1	DT - 12	1	DT - 12	1	

JBT Writing	- 6A j Press	JBT - 6B Press Booth # 4		JBT - 6C Press Booth # 3		JBT - 6D Press Booth # 2		JBT - 6F Press Booth # 1	
BNC	4	BNC	4	BNC	4	BNC	4	BNC	4
Triax	2	XLR	8	XLR	8	XLR	8	XLR	8
XLR	4	CAT 5	2	CAT 5	2	CAT 5	2	CAT 5	2

JBT - 7A Catwalk Center Platform					
BNC	4				
Triax	2				
XLR	8				

Arena Level


Entry Level

Terrace Level

Press Level

Catwalk

Television Broadcast Box Locations



Hotels

On/Near Campus

Campus Downtown Locations

Courtyard by Marriott

35 W Spring St Columbus, OH 43215 4.19 miles, 7 min drive 614-228-3200

Doubletree Guest Suites

50 S Front St Columbus, OH 43215 4.50 miles, 8 min drive 614-228-4600

Red Roof Inn

111 E Nationwide Blvd, Columbus, OH 43215 4.55 miles, 7 min drive 614-224-6539

Hyatt Regency

350 N High St Columbus, OH 43215 4.62 miles, 7 min drive 614-463-1234

Crowne Plaza Downtown

33 East Nationwide Blvd Columbus, OH 43215 4.68 miles, 8 min drive 614-461-4100

Westin Hotels & Resorts

310 S High St Columbus, OH 43215 5.47 miles, 8 min drive 614-228-3800

Red Roof Inn

441 Ackerman Rd Columbus, OH 43202 1.02 miles, 2 min drive 614-267-9941

The Blackwell

2110 Tuttle Park Place Columbus, OH 43210 1.08 miles, 3 min drive 614-247-4000

Fairfield Inn & Suites

3031 Olentangy River Rd Columbus, OH 43202 1.45 miles, 3 min drive 614-267-1111

Holiday Inn Express and Suit

3045 Olentangy River Rd Columbus, OH 43202 1.5 miles, 3 min drive 614-447-1212

The Varsity Inn

1445 Olentangy River Rd Columbus, OH 43212 1.52 miles, 3 min drive 614-291-2983

Hilton Garden Inn

3232 Olentangy River Rd Columbus, OH 43202 1.60 miles, 3 min drive 614-263-7200

Spring Hill Suites

1421 Olentangy River Rd Columbus, OH 43212 1.84 miles, 4 min drive 614-297-9912

North Locations

Hampton Inn & Suites

3950 Lyman Drive Hilliard, OH 43026 7.15 miles, 16 min drive 614-334-1800

Crowne Plaza Columbus N.

6500 Doubletree Ave. Columbus, OH 43229 9.05 miles, 15 min drive 614-885-1885

Holiday Inn Worthington

7007 N. High St. Worthington, OH 43085 9.59 miles, 13 min drive 614-436-0700

Hampton Inn

3920 Tuller Road Dublin, OH 43017 11.39 miles, 15 min drive 614-889-0573

Chase Suite Hotel

4130 Tuller Road Dublin, OH 43017 11.46 miles, 15 min drive 614-766-7762